

## Frontal steam condensation and odour hood with carbon filter

### GENERAL SPECIFICATIONS

- Hood controlled by the oven
- Two suction speeds depending on the opening of the door
- Easy removal of the condensation filter
- Easy removal of the active carbon filter
- Dishwasher-safe condensation filter
- Compatible with stacked equipment
- Made of stainless steel AISI 304
- Reduces odors and steam expelled by the chimney
- Reduces odors and steam expelled by the door
- High performance motor (260W)
- It is supplied with a 1.3m cable with SCHUKO connector
- Easy interior cleaning
- Easy installation
- Condensate drainage




### TECHNICAL SPECIFICATIONS

	Frontal steam condensation and odour hood - chamber and door - COOK GN 1/1  MYCHA268	Frontal steam condensation and odour hood - chamber and door - BAKE  MYCHA270	Frontal steam condensation and odour hood - chamber and door - COOK COMPACT GN 2/3  MYCHA469
Dimension A (mm)	760	760	520
Dimension B (mm)	807	882	780
Dimension C (mm)	860	935	836
Dimension D (mm)	230	230	230
Dimension E (mm)	60	60	63
Net weight (kg)	30	32	26
Electrical features	230V / 50-60Hz / 380W	230V / 50-60Hz / 380W	230V / 50-60Hz / 380W

## TECHNICAL SPECIFICATIONS

	Frontal steam condensation and odour hood - chamber and door - COOK COMPACT 1/1  MYCHA470	Frontal steam condensation and odour hood - chamber and door - COOK COMPACT GN 1/1 TRANSVERSAL  MYCHA471
Dimension A (mm)	520	760
Dimension B (mm)	933	730
Dimension C (mm)	990	795
Dimension D (mm)	230	230
Dimension E (mm)	63	63
Net weight (kg)	27	27
Electrical features	230V / 50-60Hz / 380W	230V / 50-60Hz / 380W

## TECHNICAL DETAILS



## TECHNICAL DETAILS

