

mychill 3 GN 1/1 | 5 GN 1/1 | 10 GN 1/1 | 15 GN 1/1

TECHNICAL SPECIFICATIONS



	MYCHILL 3GN 2/3	MYCHILL 3GN 1/1	MYCHILL 5GN 1/1 Longitudinal	MYCHILL 5GN 1/1 Transversal	MYCHILL 10GN 1/1	MYCHILL 15GN 1/1
Code		TCHA03TG	TCHA05LG	TCHA05TG	TCHA10TG	TCHA15TG
Code left door opening	TCHIO323	TCHIO3TG	TCHIO5LG	TCHIO5TG	TCHIO10TG	TCHIO15TG
Capacity	3 GN 2/3	3 GN 1/1	5 GN 1/1	5 GN 1/1 5 EN (600x400)	10 GN 1/1 10 EN (600x400)	15 GN 1/1 15 EN (600x400)
Distance between guides (mm)	67	67	67	67	67	67
Dimensions (ancho x depth x alto) (mm)	600 x 600 x 390	650 x 670 x 670	520 x 850 x 880	800 x 700 x 900	800 x 780 x 1700	800 x 780 x 2000
Weight (kg)	43	70	80	90	155	171
Power (kW)	0,73	0,975	1,185	1,185	2,01	3,82
Refrigerated power (kW)	0,467	0,613	0,807	0,807	1,547	2,933
Voltage (V/Ph/Hz)	230/L+N/50	230/L+N/50	230/L+N/50	230/L+N/50	230/L+N/50	400/3L+N/50
Yield	+90 / +3°C = 7 Kg +90 / -18°C = 5 Kg	+90 / +3°C = 10 Kg +90 / -18°C = 7 Kg	+90 / +3°C = 18 Kg +90 / -18°C = 11 Kg	+90 / +3°C = 18 Kg +90 / -18°C = 11 Kg	+90 / +3°C = 34 Kg +90 / -18°C = 22 Kg	+90 / +3°C = 50 Kg +90 / -18°C = 38 Kg
Gas	R - 404 a	R - 404 a	R - 404 a	R - 404 a	R - 404 a	R - 404 a

GENERAL SPECIFICATIONS

3 operating modes:

- Soft Chilling
- Hard Chilling
- Freezing

Core probe included

Defrost automatic system

Digital control panel and membrane keyboard

Removable guides and rounded edges for easy cleaning

Made in AISI 304 single-block stainless steel

Time-controlled and sensor-controlled

Drainage at the bottom

Automatically moves to maintenance phase at end of cycle

Pre-cooling cycle at -30°C

For GN 1/1 and EN (600x400) trays

OPTIONS


Door opening on the left hand side

ACCESSORIES


Universal fixing system for Mychef ovens

INSTALATION DETAILS


MYCHILL 3GN I/I Transversal



MYCHILL 5GN I/I Longitudinal




MYCHILL 5GN I/I Transversal




INSTALATION DETAILS

MYCHILL IOGN I/I Transversal



MYCHILL I5GN I/I Transversal



ELECTRICAL SUPPLY

Electrical Power: 3x1.5 mm² cable with Schuko plug